

ELISE M. STEFANIK

21ST DISTRICT, NEW YORK

CHAIRWOMAN OF HOUSE
REPUBLICAN LEADERSHIP

2211 RAYBURN HOUSE OFFICE BUILDING
WASHINGTON, DC 20515
(202) 225-4611

stefanik.house.gov

HOUSE ARMED SERVICES
COMMITTEE

HOUSE PERMANENT SELECT
COMMITTEE ON INTELLIGENCE

HOUSE COMMITTEE ON EDUCATION
AND THE WORKFORCE

Congress of the United States
House of Representatives
Washington, DC 20515-3221

March 19, 2026

The Honorable Andy Harris
Chairman
Agriculture, Rural Development,
Food and Drug Administration,
and Related Agencies Subcommittee
2362-A Rayburn House Office Building
Washington, DC 20515

The Honorable Sanford Bishop Jr.
Ranking Member
Agriculture, Rural Development,
Food and Drug Administration,
and Related Agencies Subcommittee
1036 Longworth House Office Building
Washington, DC 20515

Dear Chairman Harris and Ranking Member Bishop:

I am requesting funding for the Town of Granville Water Infrastructure Improvement Project in Fiscal Year 2027. The entity to receive funding for this project is the Town of Granville, located in Granville, NY.

The funding would be used to replace approximately 6,100 feet of aging water mains and support critical upgrades to the North Granville Water District system. The project is an appropriate use of taxpayer funds because it ensures safe and reliable drinking water, addresses deteriorating infrastructure, and supports public health in a rural community that lacks the financial capacity to fully fund required upgrades.

The project has a federal nexus because the funding provided is for purposes authorized by 7 U.S.C. § 1926(a) (USDA Rural Utilities Service – Water and Waste Disposal Programs).

I certify that I have no financial interest in this project, and neither does anyone in my immediate family.

Sincerely,



Elise M. Stefanik
Member of Congress

OGDENSBURG
330 FORD STREET
SUITE B8
OGDENSBURG, NY 13669
(315) 541-2670

PLATTSBURGH
137 MARGARET STREET
SUITE 100
PLATTSBURGH, NY 12901
(518) 561-2324

SCHUYLERVILLE
12 SPRING STREET
SUITE 102
SCHUYLERVILLE, NY 12871
(518) 242-4707